

SP 320

PCMCIA Serial PC Card One / Two Port Serial



Features

- ✘ Compliance with PCMCIA 2.1 standard
- ✘ PCMCIA Type I form factor
- ✘ Hot swap supported under Windows
- ✘ Asynchronous RS-232 serial communication
Runs up to 115.2 Kbps with the fast 16C550
- ✘ UART
- ✘ Support Windows 95/98/Me/2000/XP/NT, and
DOS

Specifications

- ✘ **Standard**
Asynchronous RS-232

▸ **Operating System**

Windows 95/98/Me/NT/2000/XP/NT, and DOS

▸ **Form Factor**

PCMCIA Type I form factor

▸ **Cable Length**

20cm (including DB-9 Connector)

▸ **Data Bits**

4, 5, 6, 7, or 8

▸ **Stop Bits**

1, 1.5, or 2

▸ **Parity Bits**

Even, Odd or None

▸ **Baud Rate**

Up to 115.2 Kbps

▸ **IRQ Selection**

3, 4, ,5, 7, 9, 10, 11, 12, or 15

▣ I/O Configurable

- One Port:

3F8H~3FFH (COM1), 2F8H~2FFH (COM2)
3E8H~3EFH (COM3), 2E8H~2EFH (COM4)

- Two Port:

3E8H~3EFH / 2E8H~2EFH (COM3~COM4)
250H~257H / 258H~25FH (Alternate I/O Port)
260H~267H / 268H~26FH (Alternate I/O Port)

▣ UART

- One Port: 1 X 16C550 (Bi-Direction 16-Byte FIFO)
- Two Port: 2 X 16C550 (Bi-Direction 16-Byte FIFO)

▣ Power Consumption

- One Port: 44mA (RS232) / 44mA (RS485)
- Two Port: 65mA (RS232) / 66mA (RS485)



Headquarter Germany:
SPHINX Computer Vertriebs GmbH
Phone: +49 (0) 6201 75437
www.sphinxcomputer.de
mail@sphinxcomputer.de

Subsidiary France:
SPHINX Connect France
Phone: +33 (0) 2 51 09 26 60
www.sphinxconnect.com
mail@sphinxconnect.com

Subsidiary Germany:
SPHINX Connect GmbH
Phone: +49 (0) 711 7287 5750
www.sphinxconnect.de
mail@sphinxconnect.de

Branch Office Belgium
Phone: +32 26 39 39 48
www.sphinxconnect.com
benelux@sphinxconnect.com

Subsidiary Austria:
S-Connect Vertriebs GmbH
Phone: +43 (1) 504 84 78 0
www.s-connect.at
mail@s-connect.at

Branch Office Spain
Phone: +34 913 109 823
www.s-connect-espana.com
mail@s-connect-espana.com

Subsidiary Great Britain:
S-Connect Ltd.
Phone: +44 (0) 1276 203 10
www.s-connect.ltd.uk
mail@s-connect.ltd.uk

Sales Partner Switzerland:
VISONET AG
Phone: +41 41 768 05 80
www.visonet.ch
info@visonet.ch