

## CS-1754

### 4 Port PS/2 & USB KVM Switch

- One console controls up to 4 computers directly and cascades to 3 levels ;capable of supporting up to 64 PCs
- Auto PS/2 and USB interface detection

master view™ max



Firmware Upgrade



Free-BSD



7.0 or Higher



OS 8.6 or Higher



Mic, Speaker Support



PS/2 & USB



Solaris



SPHD-15



USB



USB ASIC Inside



Win 98SE or Higher

### Features

- One console controls up to 4 computers directly and cascades to 3 levels ;capable of supporting up to 64 PCs
- Dual interface - supports computers with PS/2 or USB keyboards and mice.
- Computer selection via front panel switches, hotkeys, or On Screen
- Display (OSD)
- Supports PC, Mac, Linux and Sun systems
- Fully compliant with USB 1.1 specification
- Firmware upgradable for life
- OSD selection for OS and keyboard language
- Supports Windows 98 or higher, Mac OS 8.6 or higher, Linux Red Hat 7.1 or higher, and Sun Micro systems
- Audio enabled
- Auto PS/2 and USB interface detection
- ATEN USB ASIC Inside


→ Front View



→ Back View



→ Diagram



## Specification

Function		Specification		
PC connections	Direct	4		
	Max via Daisy Chain	64		
Connectors	Console Connectors	K/B	1 x USB Type-A ( F )	
		Video	1 x HDB15 F ( Blue )	
		Mouse	1 x USB Type-A ( F )	
		Speaker	1 x Earphone Jack F ( Green )	
		Microphone	1 x Earphone Jack F ( Pink )	
	PC Connectors	K/B	4 x SPHD15 F ( Yellow )	
		Video		
		Mouse		
		Speaker		4 x Earphone Jack F ( Green )
		Microphone		4 x Earphone Jack F ( Pink )
	Firmware upgrade		1 x RJ 11 ( F )	
Power Jack		1		
LEDs	On Line / Selected	4 Orange / 4 Green		
Port Selection		Push button, Hotkey, OSD		
VGA Resolution		2048 x 1536		
Scan Interval		5 seconds ( fixed )		
Power Consumption		DC5V, 2.75W		
Housing		Metal		
Weight		2640g		
Dimensions ( L x W x H )		432 x 154 x 45mm		
With stacking brackets ( L x W x H )		450 x 170 x 67mm		



**Headquarter Germany:**  
**SPHINX Computer Vertriebs GmbH**  
 Phone: +49 (0) 6201 75437  
 www.sphinxcomputer.de  
 mail@sphinxcomputer.de

**Subsidiary France:**  
**SPHINX Connect France**  
 Phone: +33 (0) 2 51 09 26 60  
 www.sphinxconnect.com  
 mail@sphinxconnect.com

**Subsidiary Germany:**  
**SPHINX Connect GmbH**  
 Phone: +49 (0) 711 7287 5750  
 www.sphinxconnect.de  
 mail@sphinxconnect.de

**Branch Office Belgium**  
 Phone: +32 26 39 39 48  
 www.sphinxconnect.com  
 benelux@sphinxconnect.com

**Subsidiary Austria:**  
**S-Connect Vertriebs GmbH**  
 Phone: +43 (1) 504 84 78 0  
 www.s-connect.at  
 mail@s-connect.at

**Branch Office Spain**  
 Phone: +34 913 109 823  
 www.s-connect-espana.com  
 mail@s-connect-espana.com

**Subsidiary Great Britain:**  
**S-Connect Ltd.**  
 Phone: +44 (0) 1276 203 10  
 www.s-connect.ltd.uk  
 mail@s-connect.ltd.uk

**Sales Partner Switzerland:**  
**VISONET AG**  
 Phone: +41 41 768 05 80  
 www.visonet.ch  
 info@visonet.ch