

Moxa Inc.

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist. New Taipei City 242032, Taiwan, R.O.C.

Tel: +886-2-8919-1230 Fax: +886-2-8522-8623 www.moxa.com

Product Discontinuance Notification—PDN# PDN0000404641 March 8, 2024

Dear Valued Customer,

We would like to inform you that Moxa is going to discontinue the PTC-101-M12 Series. This process will effectively begin March 15, 2024.

If you need any of these discontinued products for an existing project, please contact your Moxa sales representative to place orders before September 15, 2024. Also, please note that last-buy orders may be subject to availability.

Discontinued	Last-time Buy Starts	Last-time buy Ends
PTC-101-M12-S-SC-LV-T	March 15, 2024	September 15, 2024
PTC-101-M12-S-ST-LV-T		
PTC-101-M12-S-SC-LV-CT-T		
PTC-101-M12-S-ST-LV-CT-T		

Please review the details below to determine how these discontinuances will affect your products and/or operations.

Which products will be discontinued?

The following products will be discontinued. Also, see the models recommended to replace the soon to-be-discontinued models, as well as when the replacement models will be available for order.

Discontinued	Recommended Replacement	Available for Order
PTC-101-M12-S-SC-LV-T	PTC-101-S-SC-LV	
PTC-101-M12-S-ST-LV-T	PTC-101-S-ST-LV	Available Now
PTC-101-M12-S-SC-LV-CT-T ¹	PTC-101-S-SC-LV	Available Now
PTC-101-M12-S-ST-LV-CT-T ¹	PTC-101-S-ST-LV	

^{1.}PTC-101-M12-S-SC-LV-CT-T and PTC-101-M12-S-ST-LV-CT-T are conformal coating models. If you would like to do the conformal coating on the replacement models, please contact us.

Applicable differences in specifications

In this table, we list the difference in specifications between the discontinued products and the recommended replacement products.

Form number: HQ-PD.150 Version: 2.1 Page 1/2



Moxa Inc.

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist. New Taipei City 242032, Taiwan, R.O.C. Tel: +886-2-8919-1230 Fax: +886-2-8522-8623

		www.moxa.com
Specification	PTC-101-M12 Series	PTC-101 Series – LV version
	(Discontinued)	(Replacement)
		The state of the s
Ethernet Port	M12 Type x 1	RJ-45 Type x 1
Input Voltage	20 to 72 VDC	Low Voltage models: 20 to 72 VDC
Railway	EN 50155, EN 50121-4	None
Safety	EN 60950-1, UL 60950-1	EN 62368-1, UL 62368-1, UL 60950-1
Dimensions	Side View	Side View
	10.5mm [0.41ln] 101.4mm [3.99ln]	42.4 mm (1.67 in), 40 mm (1.57 in) (0.75 in) 00000000 144.05 mm (3.99 in) 111.4 mm (3.99 in) 123.46 mm (4.36 in)
	Front View MOXA MO	Front View Non Mox V Print Fring Tax Tax Tax Tax Tax Tax Tax Ta

Please note that all service rules (e.g., warranty) still apply to discontinued products.

If you have any questions, please contact Sean Chou at SeanSH.Chou@moxa.com, or contact your regional sales representative.

Form number: HQ-PD.150 Version: 2.1 Page 2/2