

Moxa Inc.

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist. New Taipei City 242032, Taiwan, R.O.C. Tel: +886-2-8919-1230

Fax: +886-2-8522-8623 www.moxa.com

Product Change Notification—PCN# PCN001090

May 01, 2025

Dear Valued Customer,


We would like to inform you that Moxa is going to make changes to the TN-4500B Series. These changes will be implemented by July 01, 2025. Please review the details below to determine how these changes will affect your products and/or operations.


What will change?

The push-pull design of the M12 connector has been changed from an outer locking mechanism to an inner locking mechanism, and it complies with IEC 61076-010.

The impact of changes in the TN-4500B V1.0.1 Series:

A. Product Appearance and Dimensions





Form number: HQ-PD.232 Version: 1.8 Page 1/3



Moxa Inc.

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist. New Taipei City 242032, Taiwan, R.O.C. Tel: +886-2-8919-1230

Fax: +886-2-8522-8623 www.moxa.com

The M12 connector's push-pull interface has been updated from outer locking to inner locking, resulting in a 1.2 mm increase in the distance from the M12 connector to the product base.

The following mechanical dimensions have been updated accordingly:

| Model Name | Old Dimension (mm) | New Dimension (mm) |
|----------------------------|--------------------|--------------------|
| TN-4508B-CT-T | 76.4 | 77.6 |
| TN-4512B-CT-T | 76.4 | 77.6 |
| TN-4512B-8P-4G-CT-T | 94.9 | 96.1 |
| TN-4516B-CT-T | 91.2 | 92.4 |
| TN-4516B-8G-CT-T | 91.2 | 92.4 |
| TN-4516B-8P-4G-4GP-CT-T | 126 | 127.2 |
| TN-4516B-8P-4GP-4GBP-CT-T | 126 | 127.2 |
| TN-4520B-12P-4G-4GP-CT-T | 126 | 127.2 |
| TN-4520B-12P-4GP-4GBP-CT-T | 126 | 127.2 |
| TN-4528B-20P-4G-4GP-CT-T | 126 | 127.2 |
| TN-4528B-20P-4GP-4GBP-CT-T | 126 | 127.2 |

B. Software compatibility

| Subcategory | Software Compatibility |
|------------------|------------------------|
| Firmware | Compatible |
| Configuration | Compatible |
| ABC-02-P-USB-M12 | Compatible |
| MIB file | Compatible |

Which products will be affected?

The product version will be upgraded from V1.0.0 to V1.0.1

| Product Name | Current Version | New Version |
|----------------------------|------------------------|-------------|
| TN-4508B-CT-T | V1.0.0 | V1.0.1 |
| TN-4512B-CT-T | V1.0.0 | V1.0.1 |
| TN-4512B-8P-4G-CT-T | V1.0.0 | V1.0.1 |
| TN-4516B-CT-T | V1.0.0 | V1.0.1 |
| TN-4516B-8G-CT-T | V1.0.0 | V1.0.1 |
| TN-4516B-8P-4G-4GP-CT-T | V1.0.0 | V1.0.1 |
| TN-4516B-8P-4GP-4GBP-CT-T | V1.0.0 | V1.0.1 |
| TN-4520B-12P-4G-4GP-CT-T | V1.0.0 | V1.0.1 |
| TN-4520B-12P-4GP-4GBP-CT-T | V1.0.0 | V1.0.1 |
| TN-4528B-20P-4G-4GP-CT-T | V1.0.0 | V1.0.1 |

Form number: HQ-PD.232 Version: 1.8 Page 2/3



Moxa Inc.

13F, No. 3, Sec. 4, New Taipei Blvd., Xinzhuang Dist. New Taipei City 242032, Taiwan, R.O.C. Tel: +886-2-8919-1230 Fax: +886-2-8522-8623

www.moxa.com

| TN-4528B-20P-4GP-4GBP-CT-T | V1.0.0 | V1.0.1 |
|----------------------------|--------|--------|

When will the new versions be available?

| Product Name | New Version | Available for Order |
|----------------------------|-------------|---------------------|
| TN-4508B-CT-T | V1.0.1 | July 01, 2025 |
| TN-4512B-CT-T | V1.0.1 | July 01, 2025 |
| TN-4512B-8P-4G-CT-T | V1.0.1 | July 01, 2025 |
| TN-4516B-CT-T | V1.0.1 | July 01, 2025 |
| TN-4516B-8G-CT-T | V1.0.1 | July 01, 2025 |
| TN-4516B-8P-4G-4GP-CT-T | V1.0.1 | July 01, 2025 |
| TN-4516B-8P-4GP-4GBP-CT-T | V1.0.1 | July 01, 2025 |
| TN-4520B-12P-4G-4GP-CT-T | V1.0.1 | July 01, 2025 |
| TN-4520B-12P-4GP-4GBP-CT-T | V1.0.1 | July 01, 2025 |
| TN-4528B-20P-4G-4GP-CT-T | V1.0.1 | July 01, 2025 |
| TN-4528B-20P-4GP-4GBP-CT-T | V1.0.1 | July 01, 2025 |

If you have any questions, please contact Bonnie Tsai (bonnie.tsai@moxa.com), or contact your regional sales representative.

Form number: HQ-PD.232 Version: 1.8 Page 3/3