
Product/Process Change Notification (PCN) Policy

PCN Service: Premio (Taiwan) Inc. provides a Product/Process Change Notification (PCN) service. As part of the PCN service Premio (Taiwan) Inc. will post notifications for changes to product(s) and/or process(s) that affect form, fit, or function.

Please Note: Premio (Taiwan) Inc. reserves the right to make changes without notification when form, fit, or function is not affected.

PCN Contact/Help: If you have questions or comments regarding Premio (Taiwan) Inc.'s PCN service or a specific notification, please contact your Premio (Taiwan) Inc. sales representative.

Notification Information: Premio (Taiwan) Inc. will provide the content listed below for each notification category.

Document change notification content will include:

- PCN Number
- PCN issue date
- Notification subject
- PCN Change Status
- Change Description
- Reason for Change
- Date Document Changes in Effect (for document changes only)
- Attachment of the updated document
- Method of identifying change (if applicable)

Premio (Taiwan) Inc.'s Product/Process Change Notification (PCN)

Date: 26/Jan/2026

PCN Number: P202601260001

Dear Customer,

This is an announcement of a change to a product that is currently offered by Premio (Taiwan) Inc. The details of this change are on the following pages.

We request you acknowledge receipt of this notification within 30 days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice, contact your Field Sales Representative.

Sincerely,

Sales Team

Phone: +886-2-7731-7888

Premio (Taiwan) Inc.'s Product/Process Change Notification (PCN)

PCN NO.	P202601260001	Date of Issue	26/Jan/2026	
Model Name	RCO-3000-RPL Series	PCN Effective Date	26/Jan/2026	
Notification Subject	RCO-3000-RPL Chassis Thermal Enhancement			
Customer Contact			Phone	
Change Type	☐ BOM	☐ Hardware/Function	☐ Firmware	☐ Software
	☒ Mechanical	☐ Accessory	☐ Document	☐ Others
PCN Details				
Reasons of Change	☐ Design problem	☒ Quality enhancement	☐ Customer request	☐ Improve process
	☐ SPEC change	☐ Vendor reason	☐ Cost affect	☐ Other
	➤ This change enhances the RCO-3000-RPL chassis with improved thermal management to support higher operating temperatures, increased system reliability, and future performance scalability, resulting in minor dimensional and weight adjustments.			
Description of Change	➤ The RCO-3000-RPL chassis has been enhanced with an improved thermal design to optimize heat dissipation, expand operating temperature capability, and extend system longevity, ensuring higher reliability for sustained performance in industrial and high-demand deployments.			
	Item	Previous Spec.	New Spec.	
	Dimension (mm)	192 (W) x 227 (D) x 60.3 (H)	192 (W) x 227 (D) x 69.5 (H)	
	Weight	4.8~5KG	5~5.4KG	
	Operating Temperature (UL 61010-2)	-25°C to 50°C (35W CPU)	-25°C to 70°C (45W CPU)	
	Operating Temperature (CE, FCC)	-25°C to 70°C (35W CPU)		
	Photo			
Document Changes in Effect (for document changes only)	• Data Sheet • User Manual			

Attachment of the Updated Document	Data Sheet
Method of Identifying Change (if applicable)	The updated chassis can be identified by the revised specifications published in the product datasheet and user manual.
Affected Parts Numbers	RCO-3000-RPL Series Order Policy Update New Orders: We recommend fully transitioning to the V12 version for all new orders. V11 Top Cover Orders: Starting May 1, V11 top cover versions may still be accepted; however, Minimum Order Quantity (MOQ) will be determined on a case-by-case basis. For specific MOQ requirements, please coordinate with our sales team in advance. We appreciate your continued support and cooperation during this transition. Should you have any questions or require technical or commercial clarification, please feel free to contact us.